

## 1. Product and company identification

### Product identifier

Trade name: Kimya ABS-R

### Relevant identified uses of the substance or mixture and uses advised against

General use: 3D filament  
For industrial purposes only.

### Details of the supplier of the safety data sheet

Company name:

Airtech International, Inc.  
5700 Skylab Road  
Huntington Beach, CA 92647  
E-mail: [airtech@airtechintl.com](mailto:airtech@airtechintl.com)  
Website: [www.airtechonline.com](http://www.airtechonline.com)  
Telephone: +1 714.899.8100  
Department responsible for  
information:  
Telephone: +1 714.899.8100  
E-mail: [airtech@airtechintl.com](mailto:airtech@airtechintl.com)

Airtech Europe Sarl  
Zone industrielle Haneboesch  
L-4562 Differdange  
Luxembourg  
Website: [www.airtech.lu](http://www.airtech.lu)  
Telephone: +352 582.282  
Department responsible for information:  
Telephone: +352 582.282  
E-mail: [sales@airtech.lu](mailto:sales@airtech.lu)

Airtech Advanced Materials UK Ltd.  
The Causeway  
Broadway Business Park  
Chadderton, Oldham  
OL9 9XD United Kingdom  
Website: [www.airtech-amg.co.uk](http://www.airtech-amg.co.uk)  
Telephone: +44 161.947.1610  
Department responsible for  
information:  
Telephone: +44 161.947.1610  
E-mail: [sales@airtech-amg.co.uk](mailto:sales@airtech-amg.co.uk)

Airtech Asia Ltd.  
No. 161 of Anyuan Rd  
Chagugang County  
Wuqing District  
301721, Tianjin, P.R. China  
Website: [www.airtech.asia](http://www.airtech.asia)  
Telephone: +86 22 8862 9800  
Telefax: +86 22 8862 9900  
Department responsible for information:  
Telephone: +86 22 8862 9800  
E-mail: [airtech.asia@airtechasia.com.cn](mailto:airtech.asia@airtechasia.com.cn)

### Emergency phone number

**CHEMTREC EMERGENCY PHONE:**  
**Within USA/Canada: 1-(800)424-9300**  
**International: +1 703-741-5970**

## 2. Hazards identification

### Emergency overview

Appearance: Physical state at 68 °F and 101.3 kPa: solid  
Form: filament  
Color: black  
Odor: Odorless  
Classification: This material is classified as not hazardous.

### Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200).

## Hazards not otherwise classified

May form explosible dust-air mixture if dispersed.  
Dust contact with the eyes can lead to mechanical irritation. Inhalation of dust may cause irritation of the respiratory system.  
Hot product can cause severe burns. Thermal decomposition can lead to the escape of irritating gases and vapors.  
Particular danger of slipping on molten product.  
see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterization: The product does not contain dangerous substances above limits that need to be mentioned in this section according to applicable legislation.

## 4. First aid measures

In case of inhalation: In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. In case of respiratory difficulties seek medical attention.

Following skin contact: After contact with molten product, cool skin area rapidly with cold water. Do not peel solidified product off the skin. Seek medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention.

### Most important symptoms/effects, acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Inhalation of dust may cause irritation of the respiratory system.  
Hot product can cause severe burns. Thermal decomposition can lead to the escape of irritating gases and vapors.

### Information to physician

Treat symptomatically.

## 5. Fire fighting measures

Flash point/flash point range: Not applicable

Auto-ignition temperature: No data available

Suitable extinguishing media: Water spray jet, foam, dry extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons: Full water jet

### Specific hazards arising from the chemical

May form explosible dust-air mixture if dispersed.  
Emits toxic fumes under fire conditions.  
In case of fire may be liberated: Hydrogen cyanide, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Cool endangered containers with water spray and, if possible, remove from danger zone. Do not breathe fumes. Do not allow fire water to penetrate into surface or ground water.

## 6. Accidental release measures

Personal precautions:

Avoid breathing dust/gas/mist/vapors. Avoid generation of dust. Provide adequate ventilation. Avoid inhalation and contact with skin and eyes. Wear appropriate protective equipment. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal.

## 7. Handling and storage

### Handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid breathing dust/gas/mist/vapors. Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Precautions against fire and explosion:

Keep away from heat sources, sparks and open flames. Take precautionary measures against static discharges.

### Storage

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place. Protect from frost and exposure to sun.

Protect from moisture contamination.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

Do not store together with: strong oxidizing agents

## 8. Exposure controls / personal protection

### Exposure guidelines

Occupational exposure limit values:

Type	Limit value
USA: ACGIH: TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
USA: ACGIH: TWA	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
USA: OSHA: TWA	15 mg/m <sup>3</sup> (Dust limit value, total dust)
USA: OSHA: TWA	5 mg/m <sup>3</sup> (Dust limit value, respirable fraction)

### Engineering controls

Provide adequate ventilation, and local exhaust as needed.

See also information in chapter 7, section storage.

### Personal protection equipment (PPE)

- Eye/face protection:** Safety glasses for normal handling, and sealed goggles for handling material during heated processing or opening packages after material has been in closed storage. PPE to be in accordance with OSHA 29 CFR: 1910.133 or ANSI Z87.1-2010.
- Skin protection:** Wear suitable protective clothing.  
Protective gloves according to OSHA Standard - 29 CFR: 1910.138.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Respiratory protection:** Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded.  
In case of dust formation: Particulates filter P1 according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
- General hygiene considerations:**  
Avoid breathing dust/gas/mist/vapors. Avoid generation of dust. Wash hands before breaks and after work. When using do not eat, drink or smoke.  
Avoid contact with skin, eyes, and clothing.

### Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance:	Physical state at 68 °F and 101.3 kPa: solid Form: filament Color: black
Odor:	Odorless
Odor threshold:	No data available
pH:	Not applicable
Melting point/freezing point:	> 212 °F
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Water solubility:	Insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	approx. 572 °F
Additional information:	No data available

## 10. Stability and reactivity

Reactivity:	Refer to subsection "Possibility of hazardous reactions".
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	May form explosible dust-air mixture if dispersed.
Conditions to avoid:	Keep away from heat sources, sparks and open flames. Protect from direct sunlight. Protect from moisture contamination.
Incompatible materials:	strong oxidizing agents
Hazardous decomposition products:	aldehydes, ketone
Thermal decomposition:	approx. 572 °F

## 11. Toxicological information

### Toxicological tests

Toxicological effects:	Acute toxicity (oral): Based on available data, the classification criteria are not met. Acute toxicity (dermal): Based on available data, the classification criteria are not met. Acute toxicity (inhalative): Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met. Skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. Effects on or via lactation: Lack of data. Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.
------------------------	--

### Symptoms

Dust contact with the eyes can lead to mechanical irritation. Inhalation of dust may cause irritation of the respiratory system.  
In case of inhalation:  
Thermal decomposition can lead to the escape of irritating gases and vapors.  
After contact with skin: Hot product can cause severe burns.

## 12. Ecological information

### Ecotoxicity

Further details: No data available

### Mobility in soil

No data available

### Persistence and degradability

Further details: No data available

### Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

## 13. Disposal considerations

### Product

Recommendation: Dispose of waste according to applicable legislation.

### Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled..

## 14. Transport information

### UN number

ADR/RID, IMDG, IATA-DGR:  
not applicable

### UN proper shipping name

ADR/RID, IMDG, IATA-DGR:  
Not restricted

### Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:  
not applicable

### Packing group

ADR/RID, IMDG, IATA-DGR:  
not applicable

### Environmental hazards

Marine pollutant: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

### USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

### Sea transport (IMDG)

Proper shipping name:: Not restricted  
Marine pollutant: no

### Air transport (IATA)

Proper shipping name:: Not restricted

### Further information

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

### National regulations - U.S. Federal Regulations

All ingredients of this product are on the TSCA inventory, or are not required to be listed on the TSCA inventory.

### National regulations - U.S. State Regulations

No data available

## 16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
	X

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Excepted quantities  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
MFSU: Manufacture, formulation, supply and use  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
PPE: Personal protection equipment  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
TSCA: Toxic Substance Control Act  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

### Department issuing data sheet

Contact person: see section 1: Department responsible for information

This data sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, and which additional precautions may be necessary. All health and safety information contained in this data sheet should be provided to your employees and customers. It is your responsibility to develop appropriate workplace instructions and training programs for employees.

As the conditions and methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. All statements or suggestions are made without warranty, expressed or implied, regarding accuracy of information, the hazards connected with the use of the product or the results to be obtained from the use thereof.